

Product datasheet for RC201240

ARF1 (NM 001024227) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: ARF1 (NM_001024227) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: ARF1

Synonyms: PVNH8

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC201240 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC201240 protein sequence

Red=Cloning site Green=Tags(s)

MGNIFANLFKGLFGKKEMRILMVGLDAAGKTTILYKLKLGEIVTTIPTIGFNVETVEYKNISFTVWDVGG QDKIRPLWRHYFQNTQGLIFVVDSNDRERVNEAREELMRMLAEDELRDAVLLVFANKQDLPNAMNAAEIT

DKLGLHSLRHRNWYIQATCATSGDGLYEGLDWLSNQLRNQK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6576 b12.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites:

Sgfl-Mlul

Cloning Scheme:



^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001024227

ORF Size: 543 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001024227.1, NP 001019398.1</u>

RefSeq Size: 2020 bp
RefSeq ORF: 546 bp
Locus ID: 375
UniProt ID: P84077



Cytogenetics: 1q42.13

Protein Pathways: Vibrio cholerae infection


MW: 20.7 kDa

Gene Summary: ADP-ribosylation factor 1 (ARF1) is a member of the human ARF gene family. The family


members encode small guanine nucleotide-binding proteins that stimulate the ADP-

ribosyltransferase activity of cholera toxin and play a role in vesicular trafficking as activators of phospholipase D. The gene products, including 6 ARF proteins and 11 ARF-like proteins, constitute a family of the RAS superfamily. The ARF proteins are categorized as class I (ARF1, ARF2 and ARF3), class II (ARF4 and ARF5) and class III (ARF6), and members of each class share a common gene organization. The ARF1 protein is localized to the Golgi apparatus and has a central role in intra-Golgi transport. Multiple alternatively spliced transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC201240



Western blot validation of overexpression lysate (Cat# [LY422625]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC224474] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified ARF1 protein (Cat# [TP301240]). The protein was produced from HEK293T cells transfected with ARF1 cDNA clone (Cat# RC201240) using MegaTran 2.0 (Cat# [TT210002]).