

Product datasheet for **RC201244**

SAP62 (SF3A2) (NM_007165) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SAP62 (SF3A2) (NM_007165) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	SAP62
Synonyms:	PRP11; PRPF11; SAP62; SF3a66
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC201244 representing NM_007165
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGACTTCCAGCATCGCCCCGGGGCAAGACCGGGAGCGGGGGCGTGGCCTCCTCCTCCGAGAGCAACC
 GTGACCGCAGGGAGCGCCTCCGGCAGCTGGCCCTGGAGACCATCGACATCAACAAGGACCGTACTTCAT
 GAAGAACCACCTGGGCTCCTATGAATGCAAACTCTGCCTGACACTTCACAACAATGAGGGGAGCTACCTG
 GCACATACGCAGGGGAAGAAGCACCAGACCAACCTGGCCCGCGAGCAGCCAAGGAGGCCAAGGAGGCC
 CTGCCAGCCCGCCTGAGAAGGTCAAGGTGGAGGTGAAGAAGTTTGTGAAGATCGGCCCGCCGGGCTA
 CAAAGTGACCAAGCAGAGAGACTCGGAGATGGCCAGCAGAGCCTCCTCTCCAGATTGACTACCCTGAG
 ATCGCCGAGGGCATCATGCCACGTACCCGCTTCATGTCTGCGTACGAGCAGAGGATCGAGCCTCCGGACC
 GGCCTGGCAGTACCTGCTCATGGCCCGCAGCCCTACGAGACCATTGCCTCAAGGTGCCGAGCAGAGA
 GATCGACAAGGGCGAGGGCAAGTTCTGGACACACTGGAACCGGGAGACCAAGCAGTTCTCTCCAGTTC
 CACTTTAAGATGGAGAAGCCCCGGCTCCACCCAGCCTCCTGCTGGCCCCCTGGGGTGAAGCGGCCTC
 CACCCCGCTGATGAACGGTCTGCCCCCTCGGCCACCGCTGCCTGAGTCTTTGCCACCGCCCCCGCAGG
 AGGCCTGCCTCTGCCACCCATGCCCCCACAGGCCTGCGCCCTCAGGGCCCCGGGACCACCCAGCTA
 CCCCCGCAGCTCCAGGGTCCACCCCCGGCCCCAGTGGTGCATCCCCCTGCATCTGGGGTCCATCCCC
 CAGCTCCTGGCGTCCACCCCCAGCTCCTGGCGTCCATCCCCAGCCCCGGGGTCCACCCACCAACCTC
 TGGGGTCCACCCCCAGCTCCTGGAGTCCACCTCCAGCCCCGGGGTCCATCCTCCCCATCAGCGGGGTCC
 CCCCACAGCCCCTGGGGTTCACCCACAGCCCCAGGGTCCATCCTCCCCATCAGCGGGGTCCACCCACAGC
 CCCAGGGATGCACCTCAGGCCCGGGGTCCACCCCCAACCTCCCGGGTCCATCCGTCCGCTCCTGGG
 GTCCACCTCAGCCTCCGGGAGTTCACCCCTCAAATCCTGGGGTGCACCCCCAACCTCCATGCCCCAA
 TGCTGAGGCCCACTTCCCTCCGAAGGCCAGGGAACATACCTCCCCCTCCCCAACCAAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC201244 representing NM_007165
 Red=Cloning site Green=Tags(s)

MDFQHRPGGKTSGGVASSSESNRDRERLRQLALETIDINKDPYFMKNHLGSYECKLCLTLHNNEGSYL
 AHTQGGKHQTNLARAAKEAKEAPAQPAPEKVKVEVKKFVKIGRPGYKVTQRDSEMGQSLLFQIDYPE
 IAEGIMPRHRFMSAYEQRIEPPDRRWQYLLMAAEPYETIAFKVPSREIDKAEGKFWTHWNRETKQFFLQF
 HFKMEKPPAPPSLPAGPPGVKRPPLMNGLPPRPPLPESLPPPPGGGLPLPMPPTGPAPSGPPGPPQL
 PPPAPGVHPPAPVVHPPASGVHPPAPGVHPPAPGVHPPAPGVHPPPTSGVHPPAPGVHPPAPGVHPPAPGV
 HPPAPGVHPPAPGVHPPASGVHPPAPGVHPPAPAVHPQAPGVHPPAPGMHPQAPGVHPQPPGVHPSAPG
 VHPQPPGVHPSNPGVHPPTPMPMLRPPLPSEPGNIPPPPTN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk8112_b11.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:


ACCN: NM_007165

ORF Size: 1392 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_007165.5](#)

RefSeq Size: 1678 bp

RefSeq ORF: 1395 bp

Locus ID: 8175


UniProt ID: [Q15428](#)

Cytogenetics: 19p13.3

Domains: ZnF_U1
Protein Pathways: Spliceosome
MW: 49.1 kDa

Gene Summary: This gene encodes subunit 2 of the splicing factor 3a protein complex. The splicing factor 3a heterotrimer includes subunits 1, 2 and 3 and is necessary for the in vitro conversion of 15S U2 snRNP into an active 17S particle that performs pre-mRNA splicing. Subunit 2 interacts with subunit 1 through its amino-terminus while the single zinc finger domain of subunit 2 plays a role in its binding to the 15S U2 snRNP. Subunit 2 may also function independently of its RNA splicing function as a microtubule-binding protein. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC201244