

## **Product datasheet for RC201250**

## SNRPD2 (NM 177542) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** SNRPD2 (NM\_177542) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: SNRPD2

Synonyms: Sm-D2; SMD2; SNRPD1

Mammalian Cell Neomycin

Selection: Vector:

pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC201250 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAGCCTCCTCAACAAGCCCAAGAGTGAGATGACCCCAGAGGAGCTGCAGAAGCGAGAGGAGGAGGAAT
TTAACACCGGTCCACTCTCTGTGCTCACACAGTCAGTCAAGAACAATACCCAAGTGCTCATCAACTGCCG
CAACAATAAGAAACTCCTGGGCCGCGTGAAGGCCTTCGATAGGCACTGCAACATGGTGCTGGAGAACGTG
AAGGAGATGTGGACTGAGGTACCCAAGAGTGGCAAGGGCAAGAAGAAGTCCAAGCCAGTCAACAAAGACC
GCTACATCTCCAAGATGTTCCTGCGCGGGGACTCAGTCATCGTGGTCCTGCGGAACCCGCTCATCGCCGG

CAAG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA** 

**Protein Sequence:** >RC201250 protein sequence

Red=Cloning site Green=Tags(s)

MSLLNKPKSEMTPEELQKREEEEFNTGPLSVLTQSVKNNTQVLINCRNNKKLLGRVKAFDRHCNMVLENV

KEMWTEVPKSGKGKKKSKPVNKDRYISKMFLRGDSVIVVLRNPLIAGK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6408">https://cdn.origene.com/chromatograms/mk6408</a> f12.zip

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_177542

ORF Size: 354 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 177542.1, NP 808210.1</u>

 RefSeq Size:
 882 bp

 RefSeq ORF:
 327 bp

 Locus ID:
 6633

 UniProt ID:
 P62316



Cytogenetics: 19q13.32

Protein Pathways: Spliceosome


MW: 13.5 kDa

**Gene Summary:** The protein encoded by this gene belongs to the small nuclear ribonucleoprotein core protein


family. It is required for pre-mRNA splicing and small nuclear ribonucleoprotein biogenesis. Multiple transcript variants encoding different isoforms have been found for this gene.

[provided by RefSeq, May 2009]

## **Product images:**



Circular map for RC201250



Western blot validation of overexpression lysate (Cat# [LY406078]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC201250 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).