

## **Product datasheet for RC201256**

## MAL (NM\_002371) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** MAL (NM\_002371) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: MAL

Synonyms: MVP17; VIP17

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC201256 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCCCCGCAGCGGCGACGGGGGGCACCACCCTGCCCAGTGGCTTCTCGGTCTTCACCACCTTGCCCGACTTGCCCGACTTGCTCTCATCTTTGAGTTTATCTTCGGGGGCCTGGTGTGGATCCTGGTGGCCCCTGGTCCCCTGGTGCCCCTGGCCCCCTGGTCCAGGGCTGGGTGATGTTCGTGTCTGTTCTGCTTCGTGGCCACCACCACCACCTTGATCATCACTACATAATTGGAGCCCACGGTGGAGAGACTTCCTGGGTCACCTTGGACGCAGCCTACCACTGCACCGCTGCCCTCTTTTACCTCAGCGCCTCAGTCCTGGAGGCCCTGGCCACCATCACGATGCAAGACGGCTTCACCTACAGGCACTACCATGAAAACATTGCTGCCGTGGTGTTCTCCTACATAGCCACTCTGCTCTACGTGGTCCATGCGGTGTTCTCTTTAATCAGATGGAAGTCTTCA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC201256 protein sequence

Red=Cloning site Green=Tags(s)

MAPAAATGGSTLPSGFSVFTTLPDLLFIFEFIFGGLVWILVASSLVPWPLVQGWVMFVSVFCFVATTTLI ILYIIGAHGGETSWVTLDAAYHCTAALFYLSASVLEALATITMQDGFTYRHYHENIAAVVFSYIATLLYV

VHAVFSLIRWKSS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** https://cdn.origene.com/chromatograms/mk6084\_a08.zip




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com ORÏGENE

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_002371

ORF Size: 459 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002371.4</u>

RefSeq Size: 1153 bp RefSeq ORF: 462 bp Locus ID: 4118



 UniProt ID:
 P21145

 Cytogenetics:
 2q11.1

**Protein Families:** Transmembrane

**MW:** 16.7 kDa

**Gene Summary:** The protein encoded by this gene is a highly hydrophobic integral membrane protein


belonging to the MAL family of proteolipids. The protein has been localized to the

endoplasmic reticulum of T-cells and is a candidate linker protein in T-cell signal transduction. In addition, this proteolipid is localized in compact myelin of cells in the nervous system and has been implicated in myelin biogenesis and/or function. The protein plays a role in the formation, stabilization and maintenance of glycosphingolipid-enriched membrane microdomains. Down-regulation of this gene has been associated with a variety of human

epithelial malignancies. Alternative splicing produces four transcript variants which vary from each other by the presence or absence of alternatively spliced exons 2 and 3. [provided by


RefSeq, May 2012]


## **Product images:**



Circular map for RC201256







Western blot validation of overexpression lysate (Cat# [LY411704]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC211612] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified MAL protein (Cat# [TP301256]). The protein was produced from HEK293T cells transfected with MAL cDNA clone (Cat# RC201256) using MegaTran 2.0 (Cat# [TT210002]).