

Product datasheet for RC201362L1


HMBS (NM_000190) Human Tagged Lenti ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Expression Plasmids
HMBS (NM_000190) Human Tagged Lenti ORF Clone
Myc-DDK
HMBS
PBG-D; PBGD; PORC; UPS
None
pLenti-C-Myc-DDK (PS100064)
Chloramphenicol (34 ug/mL)
The ORF insert of this clone is exactly the same as(RC201362).
Sgfl-Mlul
Cloning sites used for ORF Shuttling:
Sgf I ORF Mlu I GCG ATC GC ATG // NNN ACG CGT



* The last codon before the Stop codon of the ORF.

ACCN: ORF Size: NM_000190 1083 bp




View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


	NM_000190) Human Tagged Lenti ORF Clone – RC201362L1
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 000190.3</u>
RefSeq Size:	1526 bp
RefSeq ORF:	1086 bp
Locus ID:	3145
UniProt ID:	<u>P08397</u>
Cytogenetics:	11q23.3
Domains:	Porphobil_deam
Protein Families:	Druggable Genome
Protein Pathways:	Metabolic pathways, Porphyrin and chlorophyll metabolism
MW:	39.3 kDa
Gene Summary:	This gene encodes a member of the hydroxymethylbilane synthase superfamily. The encoded protein is the third enzyme of the heme biosynthetic pathway and catalyzes the head to tail condensation of four porphobilinogen molecules into the linear hydroxymethylbilane. Mutations in this gene are associated with the autosomal dominant disease acute intermittent porphyria. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Product images:



Circular map for RC201362L1



Double digestion of RC201362L1 using Sgfl and Mlul

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US