

Product datasheet for RC201387

TCTA (NM_022171) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: TCTA (NM_022171) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: TCTA
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC201387 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGC**

ATGGCGGAGTCTGGTCTGGGCAGGCCTTGCAGGCTCTGCCGGCCACGGTCTGGGCGCGCTGGGCAGCG
 AGTTCTTGCGGGAGTGGGAGGCGCAGGACATGCGCGTGACCTCTTCAAGCTGCTGCTGTGTTGGT
 GTTAAGTCTCTGGGCATCCAGCTGGCGTGGGGTTCTACGGGAATACAGTGACCGGGTTGTATCACCGT
 CCAGGTCTGGGTGGTCAGAATGGATCCACGCCTGATGGCTCCACGCATTTCCCTTCGTGGGAAATGGCAG
 CAAACGAACCTCTCAAACCCACAGAGAA

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC201387 protein sequence
 Red=Cloning site Green=Tags(s)

MAESWSGQALQALPATVLGALGSEFLREWEAQDMRVTLFKLLLLWLVSLLGIQLAWGFYGNVTGLYHR
 PGLGGQNGSTPDGSTHFPSEWMAANEPLKTHRE

TRTRPLE**QKLISEEDLA**NDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6239_c09.zip

Restriction Sites: SgfI-MluI



[View online »](#)


Cloning Scheme:




ACCN:	NM_022171
ORF Size:	309 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_022171.2
RefSeq Size:	2172 bp

RefSeq ORF:	312 bp
Locus ID:	6988
UniProt ID:	P57738
Cytogenetics:	3p21.31
Protein Families:	Transmembrane
MW:	11.3 kDa
Gene Summary:	May be required for cellular fusion during osteoclastogenesis.[UniProtKB/Swiss-Prot Function]


Product images:



Circular map for RC201387



Western blot validation of overexpression lysate (Cat# [LY411726]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC201387 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified TCTA protein (Cat# [TP301387]). The protein was produced from HEK293T cells transfected with TCTA cDNA clone (Cat# RC201387) using MegaTran 2.0 (Cat# [TT210002]).