

# **Product datasheet for RC201475**

### HOXC11 (NM\_014212) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** HOXC11 (NM\_014212) Human Tagged ORF Clone

Tag:Myc-DDKSymbol:HOXC11Synonyms:HOX3H

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC201475 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

### HOXC11 (NM\_014212) Human Tagged ORF Clone - RC201475

**Protein Sequence:** >RC201475 protein sequence

Red=Cloning site Green=Tags(s)

MFNSVNLGNFCSPSRKERGADFGERGSCASNLYLPSCTYYMPEFSTVFSFLPQAPSRQISYPYSAQVPPV REVSYGLEPSGKWHHRNSYSSCYAAADELMHRECLPPSTVTEILMKNEGSYGGHHHPSAPHATPAGFYSS VNKNSVLPQAFDRFFDNAYCGGGDPPAEPPCSGKGEAKGEPEAPPASGLASRAEAGAEAEAEEENTNPSS SGSAHSVAKEPAKGAAPNAPRTRKKRCPYSKFQIRELEREFFFNVYINKEKRLQLSRMLNLTDRQVKIWF QNRRMKEKKLSRDRLQYFSGNPLL


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6323">https://cdn.origene.com/chromatograms/mk6323</a> h09.zip

**Restriction Sites:** Sgfl-Mlul

Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM 014212

ORF Size: 912 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

### HOXC11 (NM\_014212) Human Tagged ORF Clone - RC201475

**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 014212.4</u>

 RefSeq Size:
 2100 bp

 RefSeq ORF:
 915 bp

 Locus ID:
 3227

 UniProt ID:
 043248

 Cytogenetics:
 12q13.13

**MW:** 33.8 kDa


**Gene Summary:** This gene belongs to the homeobox family of genes. The homeobox genes encode a highly

conserved family of transcription factors that play an important role in morphogenesis in all multicellular organisms. Mammals possess four similar homeobox gene clusters, HOXA, HOXB, HOXC and HOXD, which are located on different chromosomes and consist of 9 to 11 genes arranged in tandem. This gene is one of several homeobox HOXC genes located in a cluster on chromosome 12. The product of this gene binds to a promoter element of the lactase-phlorizin hydrolase. It also may play a role in early intestinal development. An alternatively spliced variant encoding a shorter isoform has been described but its full-length


nature has not been determined. [provided by RefSeq, Jul 2008]



# **Product images:**




Circular map for RC201475



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY HOXC11 (Cat# RC201475, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-HOXC11(Cat# [TA502572]). Positive lysates [LY415427] (100ug) and [LC415427] (20ug) can be purchased separately from OriGene.





Western blot validation of overexpression lysate (Cat# [LY415427]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC201475 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).