

## Product datasheet for RC201486L4

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

### **ERLEC1 (NM\_015701) Human Tagged Lenti ORF Clone**

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: ERLEC1 (NM\_015701) Human Tagged Lenti ORF Clone

Tag: mGFP
Symbol: ERLEC1

**Synonyms:** C2orf30; CIM; CL24936; CL25084; HEL117; XTP3-B; XTP3TPB

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)


E. coli Selection: Chloramphenicol (34 ug/mL)


**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC201486).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_015701

ORF Size: 1449 bp





#### ERLEC1 (NM\_015701) Human Tagged Lenti ORF Clone - RC201486L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 015701.2</u>

 RefSeq Size:
 2605 bp

 RefSeq ORF:
 1452 bp

 Locus ID:
 27248

 UniProt ID:
 Q96DZ1

Cytogenetics: 2p16.2

Protein Families: Secreted Protein

**MW:** 54.9 kDa


**Gene Summary:** This gene encodes a resident endoplasmic reticulum (ER) protein that functions in N-glycan

recognition. This protein is thought to be involved in ER-associated degradation via its interaction with the membrane-associated ubiquitin ligase complex. It also functions as a regulator of multiple cellular stress-response pathways in a manner that promotes metastatic cell survival. Alternative splicing results in multiple transcript variants. A related pseudogene


has been identified on chromosome 21. [provided by RefSeq, Aug 2011]



# **Product images:**



Circular map for RC201486L4



Double digestion of RC201486L4 using Sgfl and Mul