

Product datasheet for RC201539L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NDUFA5 (NM_005000) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: NDUFA5 (NM_005000) Human Tagged ORF Clone Lentiviral Particle

Symbol: NDUFA5

Synonyms: B13; CI-13kB; CI-13KD-B; NUFM; UQOR13

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 005000

ORF Size: 348 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC201539).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 005000.2</u>

RefSeq Size: 5602 bp
RefSeq ORF: 351 bp
Locus ID: 4698
UniProt ID: Q16718
Cytogenetics: 7q31.32

Domains: ETC_CI_29_9





NDUFA5 (NM_005000) Human Tagged ORF Clone Lentiviral Particle - RC201539L3V

Protein Pathways: Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation,

Parkinson's disease

MW: 13.5 kDa

Gene Summary: This nuclear gene encodes a conserved protein that comprises the B13 subunit of complex I

of the mitochondrial respiratory chain. The encoded protein localizes to the inner

mitochondrial membrane, where it is thought to aid in the transfer of electrons from NADH to ubiquinone. Alternative splicing results in multiple transcript variants. There are numerous pseudogenes of this gene on chromosomes 1, 3, 6, 8, 9, 11, 12, and 16. [provided by RefSeq,

Apr 2014]