

Product datasheet for RC201620

DNAJB6 (NM_005494) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DNAJB6 (NM_005494) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	DNAJB6
Synonyms:	DJ4; DnaJ; HHDJ1; HSJ-2; HSJ2; LGMD1D; LGMD1E; LGMDD1; MRJ; MSJ-1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC201620 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGTGGATTACTATGAAGTTCTAGGCGTGCAGAGACATGCCTCACCCGAGGATATTA AAAAGGCATATC
GGAAACTGGCACTGAAGTGGCATCCAGATAAAAATCCTGAGAATAAAGAAGAAGCAGAGAGAAAATTCAA
GCAAGTAGCGGAGGCATATGAAGTGTGTCGGATGCTAAGAAACGGGACATCTATGACAAATATGGCAA
GAAGGATTAATGGTGGAGGAGGAGGTGGAAGTCATTTTGACAGTCCATTTGAATTTGGCTTCACATTCC
GTAACCCAGATGATGTCTTCAGGAATTTTTGGTGAAGGGACCCATTTTCATTTGACTTCTTTGAAGA
CCTTTTGAGGACTTCTTTGGAATCGAAGGGTCCCGAGGAAGCAGAAGCCGAGGGACGGGTGTTTT
TTCTCTGCGTTCAGTGGATTTCCGTCTTTTGAAGTGGATTTTCTTTTGATACAGGATTTACTTCAT
TTGGGTCACTAGGTCACGGGGCCCTCACTTCATTTCTTCCACGTCATTTGGTGGTAGTGGCATGGGCAA
CTTCAAAATCGATATCACTTCACTAAAATGGTTAATGGCAGAAAAATCACTACAAAGAGAATTGTCGAG
AACGGTCAAGAAAGAGTAGAAGTTGAAGAAGATGGCCAGTTAAAGTCCTTAACAATAAATGGTAAGGAGC
AGCTGCTGCGCTTGATAACAAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC201620 protein sequence
 Red=Cloning site Green=Tags(s)

MVDYYEVLGVQRHASPEDIKKAYRKLALKWHPDKNPENKEEAERKFKQVAEAYEVLSDAKKRDIYDKYGG
 EGLNGGGGGSHFDSPFEFGFTFRNPDDVREFFGGRDPFSDFDFEDPFEDFFGNRRGPRGSRSRGTGSF
 FSAFSGFPSPFGSGFSSFDTGFTSFGSLGHGLTSFSSTSFGGSGMGNFKSISTSTKMNVRKITTKRIVE
 NGQERVEVEEDGQLKSLTINGKEQLLRDNLK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6299_c10.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_005494

ORF Size: 723 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_005494.3](#)

RefSeq Size: 1568 bp

RefSeq ORF: 726 bp

Locus ID: 10049

UniProt ID: [O75190](#)


Cytogenetics: 7q36.3

Domains: Dnaj


MW: 26.9 kDa

Gene Summary: This gene encodes a member of the DNAJ protein family. DNAJ family members are characterized by a highly conserved amino acid stretch called the 'J-domain' and function as one of the two major classes of molecular chaperones involved in a wide range of cellular events, such as protein folding and oligomeric protein complex assembly. This family member may also play a role in polyglutamine aggregation in specific neurons. Alternative splicing of this gene results in multiple transcript variants; however, not all variants have been fully described. [provided by RefSeq, Jul 2008]


Product images:




Circular map for RC201620



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY DNAJB6 (Cat# RC201620, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DNAJB6 (1:2000) (Cat# [TA810677]). Positive lysates [LY417262] (100ug) and [LC417262] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY417262]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC201620 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified DNAJB6 protein (Cat# [TP301620]). The protein was produced from HEK293T cells transfected with DNAJB6 cDNA clone (Cat# RC201620) using MegaTran 2.0 (Cat# [TT210002]).