OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RC201643

H10 (H1F0) (NM_005318) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	H10 (H1F0) (NM_005318) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	H10
Synonyms:	H1.0; H1F0; H1FV; H10
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

ORF Nucleotide Sequence:

>RC201643 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGACCGAGAATTCCACGTCCGCCCCTGCGGCCAAGCCCAAGCGGGCCAAGGCCTCCAAGAAGTCCACAG
ACCACCCCAAGTATTCAGACATGATCGTGGCTGCCATCCAGGCCGAGAAGAACCGCGCTGGCTCCTCGCG
CCAGTCCATTCAGAAGTATATCAAGAGCCACTACAAGGTGGGTGAGAACGCTGACTCGCAGATCAAGTTG
TCCATCAAGCGCCTGGTCACCACCGGTGTCCTCAAGCAGACCAAAGGGGTGGGGGCCTCGGGGTCCTTCC
GGCTAGCCAAGAGCGACGAACCCAAGAAGTCAGTGGCCTTCAAGAAGACCAAGAAGGAAATCAAGAAGGT
AGCCACGCCAAAGAAGGCATCCAAGCCCAAGAAGGCTGCCTCCAAAGCCCCAACCAAGAAACCCAAAGCC
ACCCCGGTCAAGAAGGCCAAGAAGAAGCTGGCTGCCACGCCCAAGAAAGCCAAAAAACCCAAGACTGTCA
AAGCCAAGCCGGTCAAGGCATCCAAGCCCAAAAAGGCCAAACCAGTGAAACCCAAAGCAAAGTCCAGTGC
CAAGAGGGCCGGCAAGAAGAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC201643 protein sequence
Red=Cloning site Green=Tags(s)

MTENSTSAPAAKPKRAKASKKSTDHPKYSDMIVAAIQAEKNRAGSSRQSIQKYIKSHYKVGENADSQIKL
SIKRLVTTGVLKQTKGVGASGSFRLAKSDEPKKSVAFKKTKKEIKKVATPKKASKPKKAASKAPTKKPKA
TPVKKAKKKLAATPKKAKKPKTVKAKPVKASKPKKAKPVKPKAKSSAKRAGKKK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

View online »

Chromatograms: https://cdn.origene.com/chromatograms/mk6299_c11.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_005318

ORF Size: 582 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:
1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM_005318.4

RefSeq Size: 2336 bp

RefSeq ORF: 585 bp

Locus ID: 3005

UniProt ID:	P07305
Cytogenetics:	22q13.1
Domains:	linker_histone
Protein Families:	Druggable Genome
MW:	20.9 kDa
Gene Summary:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-independent histone that is a member of the histone H1 family. [provided by RefSeq, Oct 2015]

Product images:



Circular map for RC201643



Western blot validation of overexpression lysate (Cat# [LY417390]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from un-transfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC201643 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).