

## Product datasheet for RC201762L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Hsp40 (DNAJB1) (NM\_006145) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: Hsp40 (DNAJB1) (NM 006145) Human Tagged ORF Clone Lentiviral Particle

Symbol: Hsp40

Synonyms: Hdj1; Hsp40; HSPF1; RSPH16B; Sis1

**Mammalian Cell** 

Selection:

None

**Vector:** pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 006145

ORF Size: 1020 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC201762).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 006145.1</u>

RefSeq Size:2419 bpRefSeq ORF:1023 bp

**Locus ID:** 3337

 UniProt ID:
 P25685

 Cytogenetics:
 19p13.12

**Domains:** DnaJ, DnaJ\_C

MW: 38 kDa





## **Gene Summary:**

This gene encodes a member of the DnaJ or Hsp40 (heat shock protein 40 kD) family of proteins. DNAJ family members are characterized by a highly conserved amino acid stretch called the 'J-domain' and function as one of the two major classes of molecular chaperones involved in a wide range of cellular events, such as protein folding and oligomeric protein complex assembly. The encoded protein is a molecular chaperone that stimulates the ATPase activity of Hsp70 heat-shock proteins in order to promote protein folding and prevent misfolded protein aggregation. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2015]