

### **Product datasheet for RC201849L1**

# Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

## IGF2 (NM\_001007139) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: IGF2 (NM 001007139) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: IGF2

Synonyms: C11orf43; GRDF; IGF-II; PP9974; SRS3

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC201849).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001007139

ORF Size: 540 bp





### IGF2 (NM\_001007139) Human Tagged Lenti ORF Clone - RC201849L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001007139.3</u>, <u>NP 001007140.2</u>

11p15.5

 RefSeq Size:
 5162 bp

 RefSeq ORF:
 543 bp

 Locus ID:
 3481

 UniProt ID:
 P01344

**Protein Families:** Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein

**MW:** 20.1 kDa

Cytogenetics:


**Gene Summary:** This gene encodes a member of the insulin family of polypeptide growth factors, which are

involved in development and growth. It is an imprinted gene, expressed only from the paternal allele, and epigenetic changes at this locus are associated with Wilms tumour, Beckwith-Wiedemann syndrome, rhabdomyosarcoma, and Silver-Russell syndrome. A read-through INS-IGF2 gene exists, whose 5' region overlaps the INS gene and the 3' region overlaps this gene. Alternatively spliced transcript variants encoding different isoforms have


been found for this gene. [provided by RefSeq, Oct 2010]



# **Product images:**



Circular map for RC201849L1



Double digestion of RC201849L1 using Sgfl and Mlul  $\,$