

Product datasheet for RC201950L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TCEB1 (ELOC) (NM_005648) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: TCEB1 (ELOC) (NM 005648) Human Tagged ORF Clone Lentiviral Particle

Symbol: ELOC

Synonyms: SIII; TCEB1

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 005648

ORF Size: 336 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC201950).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005648.2

 RefSeq Size:
 2092 bp

 RefSeq ORF:
 339 bp

 Locus ID:
 6921

 UniProt ID:
 Q15369

 Cytogenetics:
 8q21.11

 Domains:
 Skp1

Protein Families: Druggable Genome, Transcription Factors





TCEB1 (ELOC) (NM_005648) Human Tagged ORF Clone Lentiviral Particle - RC201950L1V

Protein Pathways: Pathways in cancer, Renal cell carcinoma, Ubiquitin mediated proteolysis

MW: 12.5 kDa

Gene Summary: This gene encodes the protein elongin C, which is a subunit of the transcription factor B (SIII)

complex. The SIII complex is composed of elongins A/A2, B and C. It activates elongation by RNA polymerase II by suppressing transient pausing of the polymerase at many sites within transcription units. Elongin A functions as the transcriptionally active component of the SIII

expressed in the testis, and capable of forming a stable complex with elongins B and C. The von Hippel-Lindau tumor suppressor protein binds to elongins B and C, and thereby inhibits

transcription elongation. Multiple alternatively spliced transcript variants encoding two

complex, whereas elongins B and C are regulatory subunits. Elongin A2 is specifically

distinct isoforms have been identified. [provided by RefSeq, Mar 2011]