

Product datasheet for RC201953

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PGEA1 (CBY1) (NM_001002880) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PGEA1 (CBY1) (NM_001002880) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: PGEA1

Synonyms: arb1; C22orf2; CBY; Chibby1; HS508I15A; PGEA1; PIGEA-14; PIGEA14

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC201953 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC

TGGATTACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC201953 protein sequence

Red=Cloning site Green=Tags(s)

MPFFGNTFSPKKTPPRKSASLSNLHSLDRSTREVELGLEYGSPTMNLAGQSLKFENGQWIAETGVSGGVD

RREVQRLRRRNQQLEEENNLLRLKVDILLDMLSESTAESHLMEKELDELRISRKRK

SGPTRTRPLEQKLISEEDLAANDILDYKDDDDK**V**


Chromatograms: https://cdn.origene.com/chromatograms/mk6801_d04.zip


Restriction Sites: Sgfl-Rsrll





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM 001002880

ORF Size: 378 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

 RefSeq Size:
 1287 bp

 RefSeq ORF:
 381 bp

 Locus ID:
 25776

 UniProt ID:
 Q9Y3M2

 Cytogenetics:
 22q13.1

PGEA1 (CBY1) (NM_001002880) Human Tagged ORF Clone - RC201953


Protein Families: Transcription Factors

MW: 14.5 kDa


Gene Summary: Beta-catenin is a transcriptional activator and oncoprotein involved in the development of

several cancers. The protein encoded by this gene interacts directly with the C-terminal region of beta-catenin, inhibiting oncogenic beta-catenin-mediated transcriptional activation by competing with transcription factors for binding to beta-catenin. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC201953



Western blot validation of overexpression lysate (Cat# [LY414591]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC220783] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).