

Product datasheet for RC201958

KRAS (NM 004985) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: KRAS (NM_004985) Human Tagged ORF Clone

Tag: Myc-DDK

Synonyms: C-K-RAS; c-Ki-ras2; CFC2; K-Ras; K-RAS2A; K-RAS2B; K-RAS4B; KI-RAS; KRAS1; KRAS2;

NS; NS3; RALD; RASK2

Mammalian Cell

Selection:

Symbol:

Neomycin

KRAS

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC201958 representing NM_004985

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TATG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

KRAS (NM_004985) Human Tagged ORF Clone - RC201958

Protein Sequence: >RC201958 representing NM_004985

Red=Cloning site Green=Tags(s)

MTEYKLVVVGAGGVGKSALTIQLIQNHFVDEYDPTIEDSYRKQVVIDGETCLLDILDTAGQEEYSAMRDQ YMRTGEGFLCVFAINNTKSFEDIHHYREQIKRVKDSEDVPMVLVGNKCDLPSRTVDTKQAQDLARSYGIP FIETSAKTRQGVDDAFYTLVREIRKHKEKMSKDGKKKKKKSKTKCVIM

T 12 TO WITH QUIDDIN THE THE THUMBER IS NO SHARWARD WITHOUT


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mg3128 f03.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM 004985

ORF Size: 564 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: NM 004985.5

RefSeq Size: 5312 bp RefSeq ORF: 567 bp

Locus ID: 3845 **UniProt ID:** P01116 Cytogenetics: 12p12.1

Domains: ras, RAS, RHO, RAB **Protein Families:** Druggable Genome

Protein Pathways: Acute myeloid leukemia, Axon guidance, B cell receptor signaling pathway, Bladder cancer,

> Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Dorso-ventral axis formation, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway,

> Gap junction, Glioma, GnRH signaling pathway, Insulin signaling pathway, Long-term depression, Long-term potentiation, MAPK signaling pathway, Melanogenesis, Melanoma, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor

signaling pathway, Thyroid cancer, Tight junction, VEGF signaling pathway

MW: 21.2 kDa


This gene, a Kirsten ras oncogene homolog from the mammalian ras gene family, encodes a **Gene Summary:**

> protein that is a member of the small GTPase superfamily. A single amino acid substitution is responsible for an activating mutation. The transforming protein that results is implicated in various malignancies, including lung adenocarcinoma, mucinous adenoma, ductal carcinoma of the pancreas and colorectal carcinoma. Alternative splicing leads to variants encoding two


isoforms that differ in the C-terminal region. [provided by RefSeq, Jul 2008]



Product images:




Circular map for RC201958




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY KRAS (Cat# RC201958, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-KRAS(Cat# [TA802564]). Positive lysates [LY417614] (100ug) and [LC417614] (20ug) can be purchased separately from OriGene.






Western blot validation of overexpression lysate (Cat# [LY417614]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC201958 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified KRAS protein (Cat# [TP301958]). The protein was produced from HEK293T cells transfected with KRAS cDNA clone (Cat# RC201958) using MegaTran 2.0 (Cat# [TT210002]).



Western blot analysis of overexpressed lysates (25ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], lane 1), human KRAS variant a plasmid ([RC222697], lane 2), human KRAS variant b plasmid (RC201958, lane 3) using anti-KRAS antibody [TA801672] (1:500). DNA ladder (lane 4).