

## **Product datasheet for RC201971L1**

## MVK (NM\_000431) Human Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** MVK (NM\_000431) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: MVK

Synonyms: LRBP; MK; MVLK; POROK3

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC201971).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_000431

ORF Size: 1188 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### MVK (NM\_000431) Human Tagged Lenti ORF Clone - RC201971L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 000431.1</u>

RefSeq Size: 2084 bp
RefSeq ORF: 1191 bp
Locus ID: 4598

 UniProt ID:
 Q03426

 Cytogenetics:
 12q24.11

**Domains:** GHMP kinases

**Protein Families:** Druggable Genome

**Protein Pathways:** Metabolic pathways, Terpenoid backbone biosynthesis

MW: 42.5 kDa

**Gene Summary:** This gene encodes the peroxisomal enzyme mevalonate kinase. Mevalonate is a key

intermediate, and mevalonate kinase a key early enzyme, in isoprenoid and sterol synthesis. Mevalonate kinase deficiency caused by mutation of this gene results in mevalonic aciduria, a

disease characterized psychomotor retardation, failure to thrive, hepatosplenomegaly,


anemia and recurrent febrile crises. Defects in this gene also cause

hyperimmunoglobulinaemia D and periodic fever syndrome, a disorder characterized by recurrent episodes of fever associated with lymphadenopathy, arthralgia, gastrointestinal dismay and skin rash. Alternative splicing results in multiple transcript variants. [provided by


RefSeq, Jul 2014]



# **Product images:**



Circular map for RC201971L1



Double digestion of RC201971L1 using Sgfl and Mlul