

### Product datasheet for RC202015L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ETS1 associated protein II (TDP2) (NM\_016614) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: ETS1 associated protein II (TDP2) (NM\_016614) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: ETS1 associated protein II

Synonyms: AD022; dJ30M3.3; EAP2; EAPII; hTDP2; TTRAP

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202015).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_016614

ORF Size: 1086 bp





#### ETS1 associated protein II (TDP2) (NM\_016614) Human Tagged Lenti ORF Clone - RC202015L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 016614.2</u>

 RefSeq Size:
 1940 bp

 RefSeq ORF:
 1089 bp

 Locus ID:
 51567

 UniProt ID:
 095551

 Cytogenetics:
 6p22.3

Domains: Exo endo phos

**Protein Families:** Druggable Genome, Stem cell - Pluripotency, Transcription Factors

**MW:** 40.9 kDa


**Gene Summary:** This gene encodes a member of a superfamily of divalent cation-dependent

phosphodiesterases. The encoded protein associates with CD40, tumor necrosis factor (TNF) receptor-75 and TNF receptor associated factors (TRAFs), and inhibits nuclear factor-kappa-B activation. This protein has sequence and structural similarities with APE1 endonuclease, which is involved in both DNA repair and the activation of transcription factors. [provided by

RefSeq, Jul 2008]



# **Product images:**



Circular map for RC202015L3