

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC202035

Tryptophan rich protein (WRB) (NM_004627) Human Tagged ORF Clone


Product data:

Product Type:	Expression Plasmids
Product Name:	Tryptophan rich protein (WRB) (NM_004627) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Tryptophan rich protein
Synonyms:	CHD5; WRB
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>>RC202035 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGAGCTCAGCCGCGGCCGACCACTGGGCGTGGTTGCTGGTGCTCAGCTTCGTGTTTGGATGCAATGTTC TTAGGATCCTCCTCCCGTCCTTCTCATCCTTCATGTCCAGGGTGCTGCAGAAGGACGCGGAGCAGGAGTC ACAGATGAGAGCGGAGATCCAGGACATGAAGCAGGAGCTCTCCACAGTCAACATGATGGACGAGTTTGCC AGATATGCCAGGCTGGAAAGAAAGATCAACAAGATGACGGATAAGCTCAAAAACCCATGTGAAAGCTCGGA CAGCTCAATTAGCCAAGATAAAATGGGTGATAAGTGTCGCTTTCTACGTATTGCAGGCTGCCCTGATGAT CTCACTCATTTGGAAGTATTATTCTGTCCCTGTGGCTGTCGTGCCGAGTAAATGGATAACCCCCTGAGAC CGCCTGGTAGCCTTTCCTACTACAAGATGACGAGTGTGTGGAATTACCTGTTGGATTTTAGTCTGTAACA AAGTTGTCGCTATTGTGCTTCATCCGTTCAGC
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG GTTTAA
Protein Sequence:	>RC202035 protein sequence <mark>Red</mark> =Cloning site Green=Tags(s)
	MSSAAADHWAWLLVLSFVFGCNVLRILLPSFSSFMSRVLQKDAEQESQMRAEIQDMKQELSTVNMMDEFA RYARLERKINKMTDKLKTHVKARTAQLAKIKWVISVAFYVLQAALMISLIWKYYSVPVAVVPSKWITPLD RLVAFPTRVAGGVGITCWILVCNKVVAIVLHPFS
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Chromatograms:	https://cdn.origene.com/chromatograms/mk6304_c10.zip



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE Tryptophan rich protein (WRB) (NM_004627) Human Tagged ORF Clone – RC202035




	* The last codon before the Stop codon of the ORF
ACCN:	NM_004627
ORF Size:	522 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 004627.6</u>
RefSeq Size:	1580 bp
RefSeq ORF:	525 bp
Locus ID:	7485
UniProt ID:	<u>000258</u>


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. <u>©2023 OriGene Techno</u>logies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Tryptophan rich protein (WRB) (NM_004627) Human Tagged ORF Clone – RC202035
Cytogenetics:	21q22.2
Domains:	CHD5
Protein Families:	Transmembrane
MW:	19.8 kDa
Gene Summary:	This gene is located in the candidate region for congenital heart disease (CHD) in Down syndrome (DS). It encodes a basic protein that functions as a receptor that promotes insertion of tail-anchored proteins in the endoplasmic reticulum membrane. This gene is located at a maternally-methylated differentially methylated region (DMR); however, its transcription may be biallelic, not imprinted. Alternative splicing results in different transcript variants. A pseudogene has been defined on chromosome 4. [provided by RefSeq, Apr 2017]

Product images:



Circular map for RC202035



Western blot validation of overexpression lysate (Cat# [LY417861]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC202035 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US