

Product datasheet for RC202055L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TAF12 (NM_005644) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: TAF12 (NM_005644) Human Tagged ORF Clone Lentiviral Particle

Symbol: TAF12

Synonyms: TAF2J; TAFII20

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 005644

ORF Size: 483 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202055).

Sequence:

Domains:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 005644.2</u>

 RefSeq Size:
 1129 bp

 RefSeq ORF:
 486 bp

 Locus ID:
 6883

 UniProt ID:
 Q16514

 Cytogenetics:
 1p35.3

Protein Families: Transcription Factors

TFIID A





TAF12 (NM_005644) Human Tagged ORF Clone Lentiviral Particle - RC202055L3V

Protein Pathways: Basal transcription factors

MW: 17.9 kDa

Gene Summary: Control of transcription by RNA polymerase II involves the basal transcription machinery

which is a collection of proteins. These proteins with RNA polymerase II, assemble into complexes which are modulated by transactivator proteins that bind to cis-regulatory elements located adjacent to the transcription start site. Some modulators interact directly with the basal complex, whereas others may act as bridging proteins linking transactivators to the basal transcription factors. Some of these associated factors are weakly attached while others are tightly associated with TBP in the TFIID complex. Among the latter are the TAF proteins. Different TAFs are predicted to mediate the function of distinct transcriptional activators for a variety of gene promoters and RNA polymerases. TAF12 interacts directly with TBP as well as with TAF2I. Two transcript variants encoding the same protein have been

found for this gene. [provided by RefSeq, Sep 2008]