

## Product datasheet for RC202084L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## IL1 alpha (IL1A) (NM\_000575) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: IL1 alpha (IL1A) (NM\_000575) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: IL1 alpha

Synonyms: IL-1 alpha; IL-1A; IL1; IL1-ALPHA; IL1F1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC202084).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_000575

ORF Size: 813 bp



### IL1 alpha (IL1A) (NM\_000575) Human Tagged Lenti ORF Clone - RC202084L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 000575.3</u>

RefSeq Size:2943 bpRefSeq ORF:816 bpLocus ID:3552

 UniProt ID:
 P01583

 Cytogenetics:
 2q14.1

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Apoptosis, Cytokine-cytokine receptor interaction, Graft-versus-host disease, Hematopoietic

cell lineage, MAPK signaling pathway, Prion diseases, Type I diabetes mellitus


MW: 30.6 kDa

**Gene Summary:** The protein encoded by this gene is a member of the interleukin 1 cytokine family. This


cytokine is a pleiotropic cytokine involved in various immune responses, inflammatory processes, and hematopoiesis. This cytokine is produced by monocytes and macrophages as a proprotein, which is proteolytically processed and released in response to cell injury, and thus induces apoptosis. This gene and eight other interleukin 1 family genes form a cytokine gene cluster on chromosome 2. It has been suggested that the polymorphism of these genes is associated with rheumatoid arthritis and Alzheimer's disease. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC202084L4



Double digestion of RC202084L4 using Sgfl and Mlul  $\,$