

### **Product datasheet for RC202117**

# S100A3 (NM 002960) Human Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** S100A3 (NM\_002960) Human Tagged ORF Clone

Tag:Myc-DDKSymbol:S100A3Synonyms:S100E

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC202117 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CCTCAGAGCCCCCCTGCTCCCAG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC202117 protein sequence

Red=Cloning site Green=Tags(s)

MARPLEQAVAAIVCTFQEYAGRCGDKYKLCQAELKELLQKELATWTPTEFRECDYNKFMSVLDTNKDCEV

DFVEYVRSLACLCLYCHEYFKDCPSEPPCSQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6304">https://cdn.origene.com/chromatograms/mk6304</a> d05.zip

**Restriction Sites:** Sgfl-Mlul



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_002960

ORF Size: 303 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 002960.2

RefSeq Size: 738 bp RefSeq ORF: 306 bp Locus ID: 6274



 UniProt ID:
 P33764

 Cytogenetics:
 1q21.3


 MW:
 11.7 kDa

**Gene Summary:** The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-


hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein has the highest content of cysteines of all S100 proteins, has a high affinity for Zinc, and is highly expressed in human hair cuticle.

The precise function of this protein is unknown. [provided by RefSeq, Jul 2008]

# **Product images:**



Circular map for RC202117



Western blot validation of overexpression lysate (Cat# [LY418990]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC202117 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified S100A3 protein (Cat# [TP302117]). The protein was produced from HEK293T cells transfected with S100A3 cDNA clone (Cat# RC202117) using MegaTran 2.0 (Cat# [TT210002]).