

# **Product datasheet for RC202119**

### PDCD5 (NM 004708) Human Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: PDCD5 (NM 004708) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: PDCD5
Synonyms: TFAR19
Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC202119 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GGACTCTGATGAAGATGACGATTAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA** 

**Protein Sequence:** >RC202119 protein sequence

Red=Cloning site Green=Tags(s)

MADEELEALRRORLAELQAKHGDPGDAAQQEAKHREAEMRNSILAQVLDQSARARLSNLALVKPEKTKAV

ENYLIQMARYGQLSEKVSEQGLIEILKKVSQQTEKTTTVKFNRRKVMDSDEDDDY

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6309">https://cdn.origene.com/chromatograms/mk6309</a> f04.zip

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_004708

ORF Size: 375 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 004708.4</u>

RefSeq Size: 604 bp RefSeq ORF: 378 bp



Locus ID: 9141

**UniProt ID:** O14737 Cytogenetics: 19q13.11

Domains: dsDNA\_bind MW:


14.3 kDa

**Gene Summary:** This gene encodes a protein that is upregulated during apoptosis where it translocates


rapidly from the cytoplasm to the nucleus. The encoded protein may be an important regulator of K(lysine) acetyltransferase 5 (a protein involved in transcription, DNA damage response and cell cycle control) by inhibiting its proteasome-dependent degradation.

Pseudogenes have been identified on chromosomes 5 and 12 [provided by RefSeq, Dec 2010]

## **Product images:**




Circular map for RC202119



Western blot validation of overexpression lysate (Cat# [LY417805]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC202119 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified PDCD5 protein (Cat# [TP302119]). The protein was produced from HEK293T cells transfected with PDCD5 cDNA clone (Cat# RC202119) using MegaTran 2.0 (Cat# [TT210002]).