

Product datasheet for RC202170L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Thymidine Phosphorylase (TYMP) (NM_001953) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Thymidine Phosphorylase (TYMP) (NM_001953) Human Tagged ORF Clone Lentiviral Particle

Symbol: TYMP

Synonyms: ECGF; ECGF1; hPD-ECGF; MEDPS1; MNGIE; MTDPS1; PDECGF; TP

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001953 **ORF Size:** 1446 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202170).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001953.2

 RefSeq Size:
 1667 bp

 RefSeq ORF:
 1449 bp

 Locus ID:
 1890

 UniProt ID:
 P19971

 Cytogenetics:
 22q13.33

Domains: Glycos_trans_3N

Protein Families: Druggable Genome





Thymidine Phosphorylase (TYMP) (NM_001953) Human Tagged ORF Clone Lentiviral Particle – RC202170L4V

Protein Pathways: Bladder cancer, Drug metabolism - other enzymes, Metabolic pathways, Pyrimidine

metabolism

MW: 50 kDa

Gene Summary: This gene encodes an angiogenic factor which promotes angiogenesis in vivo and stimulates

the in vitro growth of a variety of endothelial cells. It has a highly restricted target cell specificity acting only on endothelial cells. Mutations in this gene have been associated with mitochondrial neurogastrointestinal encephalomyopathy. Multiple alternatively spliced

transcript variants have been identified. [provided by RefSeq, Apr 2012]