

Product datasheet for RC202309L4


GAPDH (NM_002046) Human Tagged Lenti ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type: | Expression Plasmids |
|------------------------------|--|
| Product Name: | GAPDH (NM_002046) Human Tagged Lenti ORF Clone |
| Tag: | mGFP |
| Symbol: | GAPDH |
| Synonyms: | G3PD; GAPD; HEL-S-162eP |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-mGFP-P2A-Puro (PS100093) |
| E. coli Selection: | Chloramphenicol (34 ug/mL) |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(RC202309). |
| Restriction Sites: | Sgfl-Mlul |
| Cloning Scheme: | |
| | Cloning sites used for ORF Shuttling: Sgf I ORF Mlu I GCG ATC GC ATG// NNN ACG CGT |



ACCN: ORF Size: NM_002046 1005 bp



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


| | GAPDH (NM_002046) Human Tagged Lenti ORF Clone – RC202309L4 |
|-------------------|---|
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Me | thod: 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| Note: | Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required. |
| RefSeq: | <u>NM 002046.2</u> |
| RefSeq Size: | 1421 bp |
| RefSeq ORF: | 1008 bp |
| Locus ID: | 2597 |
| UniProt ID: | <u>P04406</u> |
| Cytogenetics: | 12p13.31 |
| Domains: | gpdh |
| Protein Families: | ES Cell Differentiation/IPS |
| Protein Pathways: | Alzheimer's disease, Glycolysis / Gluconeogenesis, Metabolic pathways |
| MW: | 36.1 kDa |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GAPDH (NM_002046) Human Tagged Lenti ORF Clone – RC202309L4

Gene Summary:This gene encodes a member of the glyceraldehyde-3-phosphate dehydrogenase protein
family. The encoded protein has been identified as a moonlighting protein based on its ability
to perform mechanistically distinct functions. The product of this gene catalyzes an important
energy-yielding step in carbohydrate metabolism, the reversible oxidative phosphorylation of
glyceraldehyde-3-phosphate in the presence of inorganic phosphate and nicotinamide
adenine dinucleotide (NAD). The encoded protein has additionally been identified to have
uracil DNA glycosylase activity in the nucleus. Also, this protein contains a peptide that has
antimicrobial activity against E. coli, P. aeruginosa, and C. albicans. Studies of a similar protein
in mouse have assigned a variety of additional functions including nitrosylation of nuclear
proteins, the regulation of mRNA stability, and acting as a transferrin receptor on the cell
surface of macrophage. Many pseudogenes similar to this locus are present in the human
genome. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov
2014]

Product images:



Circular map for RC202309L4

Double digestion of RC202309L4 using Sgfl and Mlul

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US