

Product datasheet for RC202315L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

C9ORF46 (PLGRKT) (NM_018465) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: C9ORF46 (PLGRKT) (NM_018465) Human Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: C9ORF46

Synonyms: AD025; C9orf46; MDS030; Plg-R(KT); PLG-RKT

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC202315).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_018465

ORF Size: 441 bp





C9ORF46 (PLGRKT) (NM_018465) Human Tagged Lenti ORF Clone - RC202315L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 018465.1</u>

RefSeq Size: 1020 bp
RefSeq ORF: 444 bp
Locus ID: 55848

UniProt ID: Q9HBL7

Cytogenetics: 9p24.1

Protein Families: Transmembrane

MW: 17.2 kDa

Gene Summary: Receptor for plasminogen. Regulates urokinase plasminogen activator-dependent and


stimulates tissue-type plasminogen activator-dependent cell surface plasminogen activation. Proposed to be part of a local catecholaminergic cell plasminogen activation system that regulates neuroendocrine prohormone processing. Involved in regulation of inflammatory

response; regulates monocyte chemotactic migration and matrix metalloproteinase


activation, such as of MMP2 and MMP9.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC202315L1



Double digestion of RC202315L1 using Sgfl and Mul