

Product datasheet for RC202317L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

C17orf27 (RNF213) (NM_020954) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: C17orf27 (RNF213) (NM 020954) Human Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: C17orf27

Synonyms: ALO17; C17orf27; KIAA1618; MYMY2; MYSTR; NET57

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC202317).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_020954

ORF Size: 3189 bp





C17orf27 (RNF213) (NM_020954) Human Tagged Lenti ORF Clone - RC202317L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 020954.2</u>

 RefSeq Size:
 5337 bp

 RefSeq ORF:
 3192 bp

 Locus ID:
 57674

 UniProt ID:
 Q63HN8

Cytogenetics: 17q25.3

Protein Families: Druggable Genome, Transcription Factors

MW: 118.4 kDa

Gene Summary: This gene encodes a protein containing a C3HC4-type RING finger domain, which is a


specialized type of Zn-finger that binds two atoms of zinc and is thought to be involved in mediating protein-protein interactions. The protein also contains an AAA domain, which is associated with ATPase activity. This gene is a susceptibility gene for Moyamoya disease, a vascular disorder of intracranial arteries. This gene is also a translocation partner in anaplastic large cell lymphoma and inflammatory myofibroblastic tumor cases, where a t(2;17)(p23;q25) translocation has been identified with the anaplastic lymphoma kinase (ALK)

gene on chromosome 2, and a t(8;17)(q24;q25) translocation has been identified with the MYC gene on chromosome 8. Alternative splicing results in multiple transcript variants.


[provided by RefSeq, Dec 2011]



Product images:



Circular map for RC202317L1



Double digestion of RC202317L1 using Sgfl and Mlul $\,$