

Product datasheet for RC202320L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DDX46 (NM_014829) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: DDX46 (NM_014829) Human Tagged ORF Clone Lentiviral Particle

Symbol: DDX46

Synonyms: Prp5; PRPF5

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_014829

ORF Size: 3093 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202320).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 014829.2

 RefSeq Size:
 5747 bp

 RefSeq ORF:
 3096 bp

 Locus ID:
 9879

 UniProt ID:
 Q7L014

Cytogenetics: 5q31.1

Domains: DEAD, helicase_C

Protein Pathways: Spliceosome





ORIGENE

MW: 117.4 kDa

Gene Summary: This gene encodes a member of the DEAD box protein family. DEAD box proteins,

characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure, such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. The protein encoded by this gene is a component of the 17S U2 snRNP complex; it plays an important role in pre-mRNA splicing. Multiple alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2014]