

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC202338L2V

## Profilin 1 (PFN1) (NM\_005022) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Profilin 1 (PFN1) (NM_005022) Human Tagged ORF Clone Lentiviral Particle
Symbol:	Profilin 1
Synonyms:	ALS18
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_005022
ORF Size:	420 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC202338).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 005022.2</u>
RefSeq Size:	1365 bp
RefSeq ORF:	423 bp
Locus ID:	5216
UniProt ID:	<u>P07737</u>
Cytogenetics:	17p13.2
Domains:	PROF
Protein Families:	Druggable Genome, Stem cell - Pluripotency



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Profilin 1 (PFN1) (NM_005022) Human Tagged ORF Clone Lentiviral Particle – RC202338L2V
Protein Pathway	s: Regulation of actin cytoskeleton
MW:	15.1 kDa
Gene Summary:	This gene encodes a member of the profilin family of small actin-binding proteins. The encoded protein plays an important role in actin dynamics by regulating actin polymerization in response to extracellular signals. Deletion of this gene is associated with Miller-Dieker syndrome, and the encoded protein may also play a role in Huntington disease. Multiple pseudogenes of this gene are located on chromosome 1. [provided by RefSeq, Jul 2012]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US