

Product datasheet for RC202413L4

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

DYRK2 (NM_003583) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: DYRK2 (NM_003583) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: DYRK2

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of the


Sequence:

The ORF insert of this clone is exactly the same as(RC202413).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





ACCN: NM_003583

ORF Size: 1584 bp





OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 003583.2</u>

 RefSeq Size:
 6010 bp

 RefSeq ORF:
 1587 bp

 Locus ID:
 8445

 UniProt ID:
 Q92630

Cytogenetics:

Domains: pkinase, TyrKc, S_TKc

Protein Families: Druggable Genome, Protein Kinase

12q15

MW: 59.7 kDa


Gene Summary: DYRK2 belongs to a family of protein kinases whose members are presumed to be involved in

cellular growth and/or development. The family is defined by structural similarity of their kinase domains and their capability to autophosphorylate on tyrosine residues. DYRK2 has demonstrated tyrosine autophosphorylation and catalyzed phosphorylation of histones H3 and H2B in vitro. Two isoforms of DYRK2 have been isolated. The predominant isoform,

isoform 1, lacks a 5' terminal insert. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC202413L4