

## Product datasheet for **RC202448**

### SM22 alpha (TAGLN) (NM\_001001522) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** SM22 alpha (TAGLN) (NM\_001001522) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** SM22 alpha  
**Synonyms:** SM22; SM22-alpha; SMCC; TAGLN1; WS3-10  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC202448 ORF sequence  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCCAACAAGGGTCTTCCTATGGCATGAGCCGGAAGTGCAGTCCAAAATCGAGAAGAAGTATGACG  
AGGAGCTGGAGGAGCGGCTGGTGGAGTGGATCATAGTGCAGTGTGGCCCTGATGTGGGCCCCAGACCG  
TGGGCGCTTGGGCTTCCAGGTCTGGCTGAAGAATGGCGTGATTCTGAGCAAGCTGGTGAACAGCCTGTAC  
CCTGATGGCTCCAAGCCGGTGAAGGTGCCGAGAACCACCTCCATGGTCTTCAAGCAGATGGAGCAGG  
TGGCTCAGTTCCTGAAGGCGGCTGAGGACTATGGGGTCATCAAGACTGACATGTTCCAGACTGTTGACCT  
CTTTGAAGGCAAAGACATGGCAGCAGTGCAGAGGACCCTGATGGCTTTGGGCAGCTTGGCAGTGACCAAG  
AATGATGGGCACTACCGTGGAGATCCCAACTGGTTTATGAAGAAAGCGCAGGAGCATAAGAGGGAATTCA  
CAGAGAGCCAGCTGCAGGAGGAAAGCATGTCATTGGCCTTCAGATGGGCAGCAACAGAGGGGCTCCCA  
GGCCGGCATGACAGGCTACGGACGACCTCGGCAGATCATCAGT

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC202448 protein sequence  
Red=Cloning site Green=Tags(s)

MANKGPSYGMSREVSQKIEKKYDEELEERLVEWIIIVQCGPDVGRPDGRGLGFQVWLKNGVILSKLVNSLY  
PDGSKPVKVPENPPSMVFKQMEQVAQFLKAAEDYGVIKTDMFQTVDLFEGKDMAAVQRTLALGSLAVTK  
NDGHYRGDPNWFMKKAQEHKREFTESQLQEGKHVIGLQMGSNRGASQAGMTGYGRPRQIIS

**TRTRPLEQKLI**SEEDLAANDILDYKDDDDKV




[View online »](#)

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6389\\_e05.zip](https://cdn.origene.com/chromatograms/mk6389_e05.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_001001522

**ORF Size:** 603 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.


**RefSeq:** [NM\\_001001522.2](#)

**RefSeq Size:** 1574 bp


RefSeq ORF: 606 bp  
 Locus ID: 6876  
 UniProt ID: [Q01995](#)  
 Cytogenetics: 11q23.3  
 MW: 22.6 kDa

**Gene Summary:** This gene encodes a shape change and transformation sensitive actin-binding protein which belongs to the calponin family. It is ubiquitously expressed in vascular and visceral smooth muscle, and is an early marker of smooth muscle differentiation. The encoded protein is thought to be involved in calcium-independent smooth muscle contraction. It acts as a tumor suppressor, and the loss of its expression is an early event in cell transformation and the development of some tumors, coinciding with cellular plasticity. The encoded protein has a domain architecture consisting of an N-terminal calponin homology (CH) domain and a C-terminal calponin-like (CLIK) domain. Mice with a knockout of the orthologous gene are viable and fertile but their vascular smooth muscle cells exhibit alterations in the distribution of the actin filament and changes in cytoskeletal organization. [provided by RefSeq, Aug 2017]


**Product images:**



Circular map for RC202448



Western blot validation of overexpression lysate (Cat# [LY424369]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC202448 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified TAGLN protein (Cat# [TP302448]). The protein was produced from HEK293T cells transfected with TAGLN cDNA clone (Cat# RC202448) using MegaTran 2.0 (Cat# [TT210002]).