

Product datasheet for RC202462L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Elongin A (TCEB3) (NM_003198) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Elongin A (TCEB3) (NM_003198) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: Elongin A

Synonyms: SIII; SIII p110; TCEB3; TCEB3A

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clo

Sequence:

The ORF insert of this clone is exactly the same as(RC202462).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_003198

ORF Size: 2316 bp



Elongin A (TCEB3) (NM_003198) Human Tagged Lenti ORF Clone - RC202462L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 003198.1</u>, <u>NP 003189.1</u>

 RefSeq Size:
 4959 bp

 RefSeq ORF:
 2319 bp

 Locus ID:
 6924

 UniProt ID:
 Q14241

Cytogenetics: 1p36.11

Domains: TFS2N

Protein Families: Transcription Factors

MW: 87.2 kDa

Gene Summary: This gene encodes the protein elongin A, which is a subunit of the transcription factor B (SIII)


complex. The SIII complex is composed of elongins A/A2, B and C. It activates elongation by RNA polymerase II by suppressing transient pausing of the polymerase at many sites within transcription units. Elongin A functions as the transcriptionally active component of the SIII complex, whereas elongins B and C are regulatory subunits. Elongin A2 is specifically expressed in the testis, and capable of forming a stable complex with elongins B and C. The

von Hippel-Lindau tumor suppressor protein binds to elongins B and C, and thereby inhibits

transcription elongation. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC202462L3