

## Product datasheet for RC202498L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## FUS2 (NAT6) (NM\_012191) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** FUS2 (NAT6) (NM\_012191) Human Tagged ORF Clone Lentiviral Particle

Symbol: FUS2

**Synonyms:** FUS-2; FUS2; HsNAAA80; NAT6

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_012191

ORF Size: 924 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC202498).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 012191.2</u>

RefSeq Size: 1358 bp
RefSeq ORF: 927 bp
Locus ID: 24142
UniProt ID: Q93015

Cytogenetics: 3p21.31

**Domains:** Acetyltransf





## FUS2 (NAT6) (NM\_012191) Human Tagged ORF Clone Lentiviral Particle - RC202498L4V

**Protein Pathways:** Glycerophospholipid metabolism, Limonene and pinene degradation, Phenylalanine

metabolism, Tyrosine metabolism

MW: 33.8 kDa

**Gene Summary:** This gene encodes a member of the N-acetyltransferase family. N-acetyltransferases modify

proteins by transferring acetyl groups from acetyl CoA to the N-termini of protein substrates. The encoded protein is a cytoplasmic N-acetyltransferase with a substrate specificity for proteins with an N-terminal methionine. This gene is located in the tumor suppressor gene

region on chromosome 3p21.3 and the encoded protein may play a role in cancer.

Alternatively spliced transcript variants encoding multiple isoforms have been observed. This

gene overlaps and is on the same strand as hyaluronoglucosaminidase 3, and some transcripts of each gene share a portion of the first exon. [provided by RefSeq, Jan 2011]