

Product datasheet for RC202540

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

FOXM1 (NM_202003) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: FOXM1 (NM_202003) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: FOXM1

Synonyms: FKHL16; FOXM1A; FOXM1B; FOXM1C; HFH-11; HFH11; HNF-3; INS-1; MPHOSPH2; MPP-2;

MPP2; PIG29; TRIDENT

Mammalian Cell

Selection:

Neomycin


Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme: Cloning sites used for ORF Shutt





 $[\]star$ The last codon before the Stop codon of the ORF

ACCN: NM_202003 **ORF Size:** 2244 bp





OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

Transcription Factors

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 202003.3</u>

 RefSeq Size:
 3506 bp

 RefSeq ORF:
 2247 bp

 Locus ID:
 2305

 UniProt ID:
 Q08050

Cytogenetics: 12p13.33

MW: 82.7 kDa

Protein Families:


Gene Summary: The protein encoded by this gene is a transcriptional activator involved in cell proliferation.

The encoded protein is phosphorylated in M phase and regulates the expression of several cell cycle genes, such as cyclin B1 and cyclin D1. Several transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Jul 2011]



Product images:



Circular map for RC202540