

## Product datasheet for RC202581L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## IL21 Receptor (IL21R) (NM\_181078) Human Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: IL21 Receptor (IL21R) (NM\_181078) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: IL21 Receptor

Synonyms: CD360; IMD56; NILR

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202581).

Sequence:

Sgfl-Mlul

Restriction Sites: Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_181078

ORF Size: 1614 bp



#### IL21 Receptor (IL21R) (NM\_181078) Human Tagged Lenti ORF Clone - RC202581L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 181078.1</u>

RefSeq Size:4865 bpRefSeq ORF:1617 bpLocus ID:50615UniProt ID:Q9HBE5

Cytogenetics:

**Protein Families:** Druggable Genome, Transmembrane

16p12.1

**Protein Pathways:** Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway

**MW:** 59.1 kDa


**Gene Summary:** The protein encoded by this gene is a cytokine receptor for interleukin 21 (IL21). It belongs to

the type I cytokine receptors, and has been shown to form a heterodimeric receptor complex

with the common gamma-chain, a receptor subunit also shared by the receptors for interleukin 2, 4, 7, 9, and 15. This receptor transduces the growth promoting signal of IL21, and is important for the proliferation and differentiation of T cells, B cells, and natural killer (NK) cells. The ligand binding of this receptor leads to the activation of multiple downstream signaling molecules, including JAK1, JAK3, STAT1, and STAT3. Knockout studies of a similar gene in mouse suggest a role for this gene in regulating immunoglobulin production. Three alternatively spliced transcript variants have been described. [provided by RefSeq, Jul 2010]



# **Product images:**



Circular map for RC202581L3