

## Product datasheet for RC202694L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TM4SF3 (TSPAN8) (NM\_004616) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

Product Name: TM4SF3 (TSPAN8) (NM\_004616) Human Tagged ORF Clone Lentiviral Particle

Symbol: TM4SF3

**Synonyms:** CO-029; TM4SF3

**Mammalian Cell** 

Selection:

None

**Vector:** pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 004616

ORF Size: 711 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC202694).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 004616.2

 RefSeq Size:
 1159 bp

 RefSeq ORF:
 714 bp

 Locus ID:
 7103

 UniProt ID:
 P19075

Cytogenetics: 12q21.1

**Protein Families:** Transmembrane

MW: 26.1 kDa







## **Gene Summary:**

The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is a cell surface glycoprotein that is known to complex with integrins. This gene is expressed in different carcinomas. The use of alternate polyadenylation sites has been found for this gene. [provided by RefSeq, Jul 2008]