

## **Product datasheet for RC202723L3**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Apolipoprotein A II (APOA2) (NM\_001643) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Apolipoprotein A II (APOA2) (NM\_001643) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Apolipoprotein A II

Synonyms: Apo-All; ApoA-II; apoAll

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC202723).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001643

ORF Size: 300 bp





### Apolipoprotein A II (APOA2) (NM\_001643) Human Tagged Lenti ORF Clone - RC202723L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001643.1</u>

RefSeq Size: 473 bp
RefSeq ORF: 303 bp
Locus ID: 336

 UniProt ID:
 P02652

 Cytogenetics:
 1q23.3

**Domains:** ApoA-II, Radial spoke

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** PPAR signaling pathway


**MW:** 11.2 kDa

**Gene Summary:** This gene encodes apolipoprotein (apo-) A-II, which is the second most abundant protein of

the high density lipoprotein particles. The protein is found in plasma as a monomer, homodimer, or heterodimer with apolipoprotein D. Defects in this gene may result in apolipoprotein A-II deficiency or hypercholesterolemia. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC202723L3