

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC202737L3V

## FABP3 (NM\_004102) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	FABP3 (NM_004102) Human Tagged ORF Clone Lentiviral Particle
Symbol:	FABP3
Synonyms:	FABP11; H-FABP; M-FABP; MDGI; O-FABP
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_004102
ORF Size:	399 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC202737).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 004102.3</u>
RefSeq Size:	1097 bp
RefSeq ORF:	402 bp
Locus ID:	2170
UniProt ID:	<u>P05413</u>
Cytogenetics:	1p35.2
Protein Pathways:	PPAR signaling pathway
MW:	14.9 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:The intracellular fatty acid-binding proteins (FABPs) belongs to a multigene family. FABPs are<br/>divided into at least three distinct types, namely the hepatic-, intestinal- and cardiac-type.<br/>They form 14-15 kDa proteins and are thought to participate in the uptake, intracellular<br/>metabolism and/or transport of long-chain fatty acids. They may also be responsible in the<br/>modulation of cell growth and proliferation. Fatty acid-binding protein 3 gene contains four<br/>exons and its function is to arrest growth of mammary epithelial cells. This gene is a<br/>candidate tumor suppressor gene for human breast cancer. Alternative splicing results in<br/>multiple transcript variants. [provided by RefSeq, Mar 2016]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US