

### Product datasheet for RC202740L1

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Prostate Specific Antigen (KLK3) (NM\_001648) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Prostate Specific Antigen (KLK3) (NM\_001648) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

**Symbol:** Prostate Specific Antigen

Synonyms: APS; hK3; KLK2A1; PSA

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC202740).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001648

ORF Size: 783 bp





#### Prostate Specific Antigen (KLK3) (NM\_001648) Human Tagged Lenti ORF Clone - RC202740L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001648.2</u>, <u>NP 001639.1</u>

RefSeq Size: 1464 bp RefSeq ORF: 786 bp Locus ID: 354

 UniProt ID:
 P07288

 Cytogenetics:
 19q13.33

**Domains:** Tryp\_SPc

**Protein Families:** Druggable Genome, Protease, Secreted Protein

**Protein Pathways:** Pathways in cancer, Prostate cancer


MW: 28.7 kDa

**Gene Summary:** Kallikreins are a subgroup of serine proteases having diverse physiological functions. Growing


evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers. The gene is one of the fifteen kallikrein subfamily members located in a cluster on chromosome 19. It encodes a single-chain glycoprotein, a protease which is synthesized in the epithelial cells of the prostate gland, and is present in seminal plasma. It is thought to function normally in the liquefaction of seminal coagulum, presumably by hydrolysis of the high molecular mass seminal vesicle protein. The serum level of this protein, called PSA in the clinical setting, is useful in the diagnosis and monitoring of prostatic carcinoma. Alternate splicing of this gene generates several transcript variants encoding different isoforms. [provided by RefSeq, Dec 2019]



# **Product images:**



Circular map for RC202740L1



Double digestion of RC202740L1 using Sgfl and Mlul  $\,$