

Product datasheet for RC202771L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Apolipoprotein CII (APOC2) (NM 000483) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Apolipoprotein CII (APOC2) (NM 000483) Human Tagged ORF Clone Lentiviral Particle

Symbol: Apolipoprotein CII
Synonyms: APO-CII; APOC-II

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM_000483

ORF Size: 303 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202771).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000483.3

 RefSeq Size:
 738 bp

 RefSeq ORF:
 306 bp

 Locus ID:
 344

 UniProt ID:
 P02655

 Cytogenetics:
 19q13.32

Protein Families: Druggable Genome, Secreted Protein

MW: 11.2 kDa





Apolipoprotein CII (APOC2) (NM_000483) Human Tagged ORF Clone Lentiviral Particle – RC202771L3V

Gene Summary:

This gene encodes a lipid-binding protein belonging to the apolipoprotein gene family. The protein is secreted in plasma where it is a component of very low density lipoprotein. This protein activates the enzyme lipoprotein lipase, which hydrolyzes triglycerides and thus provides free fatty acids for cells. Mutations in this gene cause hyperlipoproteinemia type IB, characterized by hypertriglyceridemia, xanthomas, and increased risk of pancreatitis and early atherosclerosis. This gene is present in a cluster with other related apolipoprotein genes on chromosome 19. Naturally occurring read-through transcription exists between this gene and the neighboring upstream apolipoprotein C-IV (APOC4) gene. [provided by RefSeq, Mar 2011]