

### Product datasheet for RC202777L3

### https://www.origene.com techsupport@origene.com

EU: info-de@origene.com
CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

## TDO2 (NM\_005651) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: TDO2 (NM 005651) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: TDO2

Synonyms: HYPTRP; TDO; TO; TPH2; TRPO

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC202777).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_005651

ORF Size: 1218 bp





#### TDO2 (NM\_005651) Human Tagged Lenti ORF Clone - RC202777L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 005651.1</u>

RefSeq Size:1703 bpRefSeq ORF:1221 bpLocus ID:6999

 UniProt ID:
 P48775

 Cytogenetics:
 4q32.1

**Domains:** Trp dioxygenase

**Protein Pathways:** Metabolic pathways, Tryptophan metabolism

**MW:** 47.9 kDa

**Gene Summary:** This gene encodes a heme enzyme that plays a critical role in tryptophan metabolism by


catalyzing the first and rate-limiting step of the kynurenine pathway. Increased activity of the encoded protein and subsequent kynurenine production may also play a role in cancer

through the suppression of antitumor immune responses, and single nucleotide


polymorphisms in this gene may be associated with autism. [provided by RefSeq, Feb 2012]



# **Product images:**



Circular map for RC202777L3



Double digestion of RC202777L3 using Sgfl and Mlul  $\,$