

Product datasheet for **RC202798**

ACADM (NM_000016) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | ACADM (NM_000016) Human Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | ACADM |
| Synonyms: | ACAD1; MCAD; MCADH |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |



[View online »](#)

ORF Nucleotide
Sequence:

>RC202798 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGCAGCGGGTTCGGGCGATGCTGCAGGGTCTGAGAAGTATTTCTCGTTTTTCATTGGAGATCACAGC
ATACAAAAGCCAATCGACAACGTGAACCAGGATTAGGATTTAGTTTTGAGTTCACCGAACAGCAGAAAGA
ATTTCAAGCTACTGCTCGTAAATTTGCCAGAGAGAAATCATCCCACTGGCTGCAGAATATGATAAACT
GGTGAATATCCAGTCCCCCTAATTAGAAGAGCCTGGAACTTGGTTAATGAACACACACATTCCAGAGA
ACTGTGGAGGCTTGGACTTGGAACTTTTGATGCTTGTTAATTAGTGAAGAATTGGCTTATGGATGTAC
AGGGGTTCCAGACTGCTATTGAAGGAAATCTTTGGGGCAAATGCCTATTATTATTGCTGGAAATGATCAA
CAAAAAGAAGAAGTATTTGGGGAGAATGACTGAGGAGCCATTGATGTGTGCTTATTGTGTAAACAGAACCTG
GAGCAGGCTCTGATGTAGCTGGATAAAGACCAAAGCAGAAAAGAAAGGAGATGAGTATATTATTAATGG
TCAGAAGATGTGGATAACCAACGGAGGAAAAGCTAATTGGTATTTTTATTGGCAGCTTCTGATCCAGAT
CCTAAAGCTCCTGCTAATAAAGCCTTTACTGGATTCATTGTGGAAGCAGATACCCAGGAATTCAGATTG
GGAGAAAGGAATTAACATGGGCCAGCGATGTTTCAGATACTAGAGGAATTGTCTTCGAAGATGTGAAGT
GCCTAAAGAAAATGTTTTAATTGGTGACGGAGCTGGTTTCAAAGTTGCAATGGGAGCTTTTGATAAAACC
AGACCTGTAGTAGCTGCTGGTGTGTTGGATTAGCACAAAGAGCTTTGGATGAAGCTACCAAGTATGCC
TGGAAAGGAAAATTTCCGAAAGCTACTGTAGAGCACAAGCAATATCATTATGCTGGCTGAAATGGC
AATGAAAGTTGAACTAGCTAGAATGAGTTACCAGAGAGCAGCTTGGGAGGTTGATTCTGGTCGCGAAAT
ACCTATTATGCTTCTATTGCAAAGGCATTTGCTGGAGATATTGCAAACTAGTTAGCTACTGATGCTGTGC
AGATACTTGGAGGCAATGGATTTAATACAGAATATCCTGTAGAAAACTAATGAGGGATGCCAAAATCTA
TCAGATTTATGAAGGTACTTCACAAATCAAGACTTATTGTAGCCCGTGAACACATTGACAAGTACAAA
AAT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC202798 protein sequence
Red=Cloning site Green=Tags(s)

MAAGFGRCCRVLRSISRFWRSQHTKANRQREPGLGFSFEFTEQQKEFQATARKFAREEIIPVAAEYDKT
GEYPVPLIRRAWELGLMNTHIPENCGGLGLGTFDACLISEELAYGCTGVQTAIEGNSLGQMPIIIAGNDQ
QKKKYLGRMTEEPLMCAYCVTEPGAGSDVAGIKTKAEKKGDEYIINGQKMWITNGGKANWYFLLARSDPD
PKAPANKAFTGFIVEADTPGIQIGRKELNMGQRCSDRGIVFEDVKVPKENVLIGDGAGFKVAMGAFDKT
RPVVAAGAVGLAQRALDEATKYALERKTFGKLLVEHQAISFMLAEMAMKVELARMSYQRAAWEVDSGRRN
TYYASIAKAFAGDIANQLATDAVQILGGNGFNTEYPVEKLMRDAKIYQIYEGTSQIQRILIVAREHIDKYK
N

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6079_c03.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:


ACCN: NM_000016

ORF Size: 1263 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_000016.6](#)

RefSeq Size: 2623 bp

RefSeq ORF: 1266 bp

Locus ID: 34

UniProt ID: [P11310](#)

Cytogenetics: 1p31.1

Domains: Acyl-CoA_dh, Acyl-CoA_dh_M, Acyl-CoA_dh_N


Protein Families: Druggable Genome

Protein Pathways: beta-Alanine metabolism, Fatty acid metabolism, Metabolic pathways, PPAR signaling pathway, Propanoate metabolism, Valine, leucine and isoleucine degradation


MW: 46.6 kDa

Gene Summary: This gene encodes the medium-chain specific (C4 to C12 straight chain) acyl-Coenzyme A dehydrogenase. The homotetramer enzyme catalyzes the initial step of the mitochondrial fatty acid beta-oxidation pathway. Defects in this gene cause medium-chain acyl-CoA dehydrogenase deficiency, a disease characterized by hepatic dysfunction, fasting hypoglycemia, and encephalopathy, which can result in infantile death. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]


Product images:




Circular map for RC202798



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ACADM (Cat# RC202798, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ACADM (Cat# [TA811761])(1:2000). Positive lysates [LY400001] (100ug) and [LC400001] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY400001]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC202798 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified ACADM protein (Cat# [TP302798]). The protein was produced from HEK293T cells transfected with ACADM cDNA clone (Cat# RC202798) using MegaTran 2.0 (Cat# [TT210002]).