

Product datasheet for RC202800L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Carboxypeptidase B2 (CPB2) (NM_001872) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Carboxypeptidase B2 (CPB2) (NM_001872) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Carboxypeptidase B2

Synonyms: CPU; PCPB; TAFI

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC202800).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_001872

ORF Size: 1269 bp





Carboxypeptidase B2 (CPB2) (NM_001872) Human Tagged Lenti ORF Clone - RC202800L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001872.3</u>

 RefSeq Size:
 1766 bp

 RefSeq ORF:
 1272 bp

 Locus ID:
 1361

 UniProt ID:
 Q96IY4

 Cytogenetics:
 13q14.13

Domains: Zn carbOpept, Propep M14

Protein Families: Druggable Genome, Protease, Secreted Protein

Protein Pathways: Complement and coagulation cascades

MW: 48.4 kDa

Gene Summary: Carboxypeptidases are enzymes that hydrolyze C-terminal peptide bonds. The

carboxypeptidase family includes metallo-, serine, and cysteine carboxypeptidases. According to their substrate specificity, these enzymes are referred to as carboxypeptidase A (cleaving


aliphatic residues) or carboxypeptidase B (cleaving basic amino residues). The protein encoded by this gene is activated by trypsin and acts on carboxypeptidase B substrates. After

thrombin activation, the mature protein downregulates fibrinolysis. Polymorphisms have been described for this gene and its promoter region. Alternate splicing results in multiple

transcript variants. [provided by RefSeq, Jun 2013]



Product images:



Circular map for RC202800L2