

Product datasheet for RC202800L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Carboxypeptidase B2 (CPB2) (NM 001872) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Carboxypeptidase B2 (CPB2) (NM_001872) Human Tagged ORF Clone Lentiviral Particle

Symbol: Carboxypeptidase B2

Synonyms: CPU; PCPB; TAFI

Mammalian Cell

. . . .

Puromycin

Selection: Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001872 **ORF Size:** 1269 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202800).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001872.3

 RefSeq Size:
 1766 bp

 RefSeq ORF:
 1272 bp

 Locus ID:
 1361

 UniProt ID:
 Q96IY4

 Cytogenetics:
 13q14.13

Domains: Zn_carbOpept, Propep_M14

Protein Families: Druggable Genome, Protease, Secreted Protein





Carboxypeptidase B2 (CPB2) (NM_001872) Human Tagged ORF Clone Lentiviral Particle – RC202800L4V

Protein Pathways: Complement and coagulation cascades

MW: 48.4 kDa

Gene Summary: Carboxypeptidases are enzymes that hydrolyze C-terminal peptide bonds. The

carboxypeptidase family includes metallo-, serine, and cysteine carboxypeptidases. According to their substrate specificity, these enzymes are referred to as carboxypeptidase A (cleaving aliphatic residues) or carboxypeptidase B (cleaving basic amino residues). The protein encoded by this gene is activated by trypsin and acts on carboxypeptidase B substrates. After thrombin activation, the mature protein downregulates fibrinolysis. Polymorphisms have been described for this gene and its promoter region. Alternate splicing results in multiple

transcript variants. [provided by RefSeq, Jun 2013]