

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC202808L3V

Geminin (GMNN) (NM_015895) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Geminin (GMNN) (NM_015895) Human Tagged ORF Clone Lentiviral Particle
Symbol:	Geminin
Synonyms:	Gem; MGORS6
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_015895
ORF Size:	627 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC202808).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 015895.3</u>
RefSeq Size:	1275 bp
RefSeq ORF:	630 bp
Locus ID:	51053
UniProt ID:	<u>075496</u>
Cytogenetics:	6p22.3
Protein Families:	Druggable Genome, Stem cell - Pluripotency
MW:	23.6 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a protein that plays a critical role in cell cycle regulation. The encoded
protein inhibits DNA replication by binding to DNA replication factor Cdt1, preventing the
incorporation of minichromosome maintenance proteins into the pre-replication complex.
The encoded protein is expressed during the S and G2 phases of the cell cycle and is
degraded by the anaphase-promoting complex during the metaphase-anaphase transition.
Increased expression of this gene may play a role in several malignancies including colon,
rectal and breast cancer. Alternatively spliced transcript variants have been observed for this
gene, and two pseudogenes of this gene are located on the short arm of chromosome 16.
[provided by RefSeq, Oct 2011]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US