

Product datasheet for RC202815

ANAPC13 (NM_015391) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: ANAPC13 (NM_015391) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: ANAPC13
Synonyms: APC13; SWM1
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC202815 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAAACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCCGCATCGCC

ATGGACAGTGAGGTTTCTAGAGAGATGGAAGGATCTTGGATTTGATTGATGATGCTTGGCGAGAAGACAAGC
 TGCCTTATGAGGATGTCGCAATACCACTGAATGAGCTTCTGAACCTGAACAAGACAATGGTGGCACCAC
 AGAATCTGTCAAAGAACAAGAAATGAAGTGGACAGACTTAGCCTTACGTACCTCCATGAGAATGTTCCC
 CCCATTGGAAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC202815 protein sequence
 Red=Cloning site Green=Tags(s)
 MDSEVQRDGRILDLIDDAWREDKLPYEDVAIPLNELPEPEQDNGGTESVKEQEMKWTDLALQYLHENVP
 PIGN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6414_h11.zip

Restriction Sites: SgfI-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_015391

ORF Size: 222 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.


Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_015391.4](#)


RefSeq Size: 1219 bp

RefSeq ORF:	225 bp
Locus ID:	25847
UniProt ID:	Q9BS18
Cytogenetics:	3q22.2
Protein Pathways:	Cell cycle, Oocyte meiosis, Progesterone-mediated oocyte maturation, Ubiquitin mediated proteolysis
MW:	8.5 kDa
Gene Summary:	This gene encodes a component of the anaphase promoting complex, a large ubiquitin-protein ligase that controls cell cycle progression by regulating the degradation of cell cycle regulators such as B-type cyclins. The encoded protein is evolutionarily conserved and is required for the integrity and ubiquitin ligase activity of the anaphase promoting complex. Pseudogenes and splice variants have been found for this gene; however, the biological validity of some of the splice variants has not been determined. [provided by RefSeq, Nov 2008]

Product images:



Circular map for RC202815



Western blot validation of overexpression lysate (Cat# [LY414554]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC202815 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).