

Product datasheet for RC202822L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SH3PX1 (SNX9) (NM_016224) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: SH3PX1 (SNX9) (NM_016224) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: SH3PX1

Synonyms: SDP1; SH3PX1; SH3PXD3A; WISP

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC202822).


Sequence:

The one insert of this cione is exactly the same as(nezozozz).

Restriction Sites: Sgfl-Rsrll

Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM_016224

ORF Size: 1785 bp





SH3PX1 (SNX9) (NM_016224) Human Tagged Lenti ORF Clone - RC202822L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 016224.3</u>

 RefSeq Size:
 4291 bp

 RefSeq ORF:
 1788 bp

 Locus ID:
 51429

 UniProt ID:
 Q9Y5X1

 Cytogenetics:
 6q25.3

Domains: SH3. PX

Protein Families: Druggable Genome

MW: 66.6 kDa


Gene Summary: This gene encodes a member of the sorting nexin family. Members of this family contain a

phosphoinositide binding domain, and are involved in intracellular trafficking. The encoded protein does not contain a coiled coil region, like some family members, but does contain a SRC homology domain near its N-terminus. The encoded protein is reported to have a variety of interaction partners, including of adaptor protein 2, dynamin, tyrosine kinase non-receptor 2, Wiskott-Aldrich syndrome-like, and ARP3 actin-related protein 3. The encoded protein is

implicated in several stages of intracellular trafficking, including endocytosis, macropinocytosis, and F-actin nucleation. [provided by RefSeq, Jul 2013]



Product images:



Circular map for RC202822L3