

Product datasheet for RC202871L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BMI1 (NM_005180) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: BMI1 (NM 005180) Human Tagged ORF Clone Lentiviral Particle

Symbol: BMI

Synonyms: flvi-2/bmi-1; FLVI2/BMI1; PCGF4; RNF51

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 005180

ORF Size: 978 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202871).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005180.5

 RefSeq Size:
 3435 bp

 RefSeq ORF:
 981 bp

 Locus ID:
 648

 UniProt ID:
 P35226

Cytogenetics: 10p12.2

Domains: RING

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transcription Factors







MW: 36.9 kDa

Gene Summary:

This gene encodes a ring finger protein that is major component of the polycomb group complex 1 (PRC1). This complex functions through chromatin remodeling as an essential epigenetic repressor of multiple regulatory genes involved in embryonic development and self-renewal in somatic stem cells. This protein also plays a central role in DNA damage repair. This gene is an oncogene and aberrant expression is associated with numerous cancers and is associated with resistance to certain chemotherapies. A pseudogene of this gene is found on chromosome X. Read-through transcription also exists between this gene and the upstream COMM domain containing 3 (COMMD3) gene. [provided by RefSeq, Sep 2015]