

### **Product datasheet for RC202874L4**

PIGQ (NM\_148920) Human Tagged Lenti ORF Clone

# CC 101 RC20207424

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: PIGQ (NM\_148920) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: PIGQ

Synonyms: c407A10.1; DEE77; EIEE77; GPI1

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC202874).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_148920

ORF Size: 2280 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### PIGQ (NM\_148920) Human Tagged Lenti ORF Clone - RC202874L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 148920.1</u>

RefSeq Size:2878 bpRefSeq ORF:2283 bpLocus ID:9091

UniProt ID: Q9BRB3

Cytogenetics: 16p13.3

**Domains:** Gpi1

**Protein Families:** Transmembrane

Protein Pathways: Glycosylphosphatidylinositol(GPI)-anchor biosynthesis, Metabolic pathways

MW: 83.9 kDa


**Gene Summary:** This gene is involved in the first step in glycosylphosphatidylinositol (GPI)-anchor biosynthesis.

The GPI-anchor is a glycolipid found on many blood cells and serves to anchor proteins to the cell surface. This gene encodes a N-acetylglucosaminyl transferase component that is part of the complex that catalyzes transfer of N-acetylglucosamine (GlcNAc) from UDP-GlcNAc to phosphatidylinositol (PI). Alternatively spliced transcript variants encoding different isoforms

have been found for this gene. [provided by RefSeq, Jun 2012]



## **Product images:**



Circular map for RC202874L4