

Product datasheet for RC202893L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GTP cyclohydrolase 1 (GCH1) (NM_000161) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: GTP cyclohydrolase 1 (GCH1) (NM_000161) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: GTP cyclohydrolase 1

Synonyms: DYT5; DYT5a; DYT14; GCH; GTP-CH-1; GTPCH1; HPABH4B

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC202893).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_000161

ORF Size: 753 bp



GTP cyclohydrolase 1 (GCH1) (NM_000161) Human Tagged Lenti ORF Clone - RC202893L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000161.2</u>

 RefSeq Size:
 2941 bp

 RefSeq ORF:
 753 bp

 Locus ID:
 2643

 UniProt ID:
 P30793

Cytogenetics: 14q22.2

Domains: GTP cyclohydrol

Protein Families: Druggable Genome

Protein Pathways: Folate biosynthesis, Metabolic pathways

MW: 27.9 kDa

Gene Summary: This gene encodes a member of the GTP cyclohydrolase family. The encoded protein is the


first and rate-limiting enzyme in tetrahydrobiopterin (BH4) biosynthesis, catalyzing the conversion of GTP into 7,8-dihydroneopterin triphosphate. BH4 is an essential cofactor required by aromatic amino acid hydroxylases as well as nitric oxide synthases. Mutations in this gene are associated with malignant hyperphenylalaninemia and dopa-responsive dystonia. Several alternatively spliced transcript variants encoding different isoforms have

been described; however, not all variants give rise to a functional enzyme. [provided by

RefSeq, Jul 2008]



Product images:



Circular map for RC202893L2